

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	23	707/201.ccls. and (model same (conver\$5 or transform\$5)) and ((dynamic\$4 or synchroniz\$5) same (reflect\$4 or updat\$4 or upgrad\$4 or chang\$4 or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:12
S70	10	707/102.ccls. and (model near6 (conver\$5 or transform\$5)) and ((dynamic\$4 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:11
S69	21	715/513.ccls. and (model near6 (conver\$5 or transform\$5)) and ((dynamic\$4 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:11
S68	68	715/513.ccls. and (model near6 (conver\$5 or transform\$5)) and (dynamic\$4 or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:10
S67	101	715/513.ccls. and (model near6 (conver\$5 or transform\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:10
S66	17	717/101.ccls. and (model near6 (conver\$5 or transform\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:09
S65	32	((model near4 (transform\$5 or conver\$5)) with (system or tool or method or mechanism or machine)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4 or view or display)) and @ay<"2002" and 7?/?\$.ccls. and ((map\$4 or coresspond\$4) with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:14
S64	57	((model near4 (transform\$5 or conver\$5)) same (system or tool or method or mechanism or machine)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4 or view or display)) and @ay<"2002" and 7?/?\$.ccls. and ((map\$4 or coresspond\$4) with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:14
S63	96	(model near4 (transform\$5 or conver\$5)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4 or view or display)) and @ay<"2002" and 7?/?\$.ccls. and ((map\$4 or coresspond\$4) with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:13
S62	238	(model near4 (transform\$5 or conver\$5)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) with (reflect\$4 or updat\$4 or upgrad\$4 or view or display)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:11
S61	219	(model near4 (transform\$5 or conver\$5)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) same (view or display)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:09

S60	355	(model near4 (transform\$5 or conver\$5)) and ((first or source) same (second or target) same model) and ((dynamic\$5 or synchroniz\$5) same (view or display)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:08
S59	1506	(model near4 (transform\$5 or conver\$5)) and ((first or source) same (second or target) same model) and (dynamic\$5 or synchroniz\$5) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:08
S58	7157	(model with (transform\$5 or conver\$5)) and ((first or source) same (second or target)) and (dynamic\$5 or synchroniz\$5) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:07
S57	30	((model near4 (transform\$5 or conver\$5)) with (method or system or mechanism)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls. and ((first or source) with model) and ((second or target) with model) and ((dynamic\$4 or synchroniz\$5) with (updat\$4 or chang\$4 or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:05
S56	47	((model near4 (transform\$5 or conver\$5)) same (method or system or mechanism)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls. and ((first or source) with model) and ((second or target) with model) and ((dynamic\$4 or synchroniz\$5) with (updat\$4 or chang\$4 or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 07:10
S55	94	(model near4 (transform\$5 or conver\$5)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls. and ((first or source) with model) and ((second or target) with model) and ((dynamic\$4 or synchroniz\$5) with (updat\$4 or chang\$4 or modif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 07:08
S54	338	(model near4 (transform\$5 or conver\$5)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls. and ((first or source) with model) and ((second or target) with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 07:07
S53	24	(model near4 (transform\$5 or conver\$5)) and (synchroniz\$6 with (chang\$4 or updat\$4)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls. and (dynamic\$4 with (updat\$4 or display\$4 or reflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 07:07
S52	48	(model near4 (transform\$5 or conver\$5)) and (synchroniz\$6 with (chang\$4 or updat\$4)) and @ay<"2002" and @ay>"2000" and ???/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 07:01
S51	30	((conver\$5 or transform\$6) near6 model) with (method or system or mechanism)) and @ay<"2002" and ???/\$.cccls. and @ay>"2000" and ((synchroniz\$6 or dynamic\$5) with (updat\$5 or reflect\$5 or chang\$5 or modif\$5)) and ((map\$4 or correspond\$5) same (model or object)) and (interface same (view\$4 or display\$4 or reflect\$4 or chang\$4 or modif\$5)) and (model with (view or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 06:59
S44	602	((conver\$5 or transform\$6) near6 model) and @ay<"2002" and ???/\$.cccls. and @ay>"2000" and (synchroniz\$6 or dynamic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 06:26

S40	19	(xml same (model near3 transformation)) and @ay<"2002" and ((convert\$4 or translat\$4 or map\$4 or match\$4) with (model)) and (synchroni\$7 or reflect\$4 or dynamic\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 05:52
S39	15	(xml same (model near3 transformation)) and @ay<"2002" and ((convert\$4 or translat\$4 or map\$4 or match\$4) with (model)) and (synchroni\$7 or reflect\$4 or dynamic\$7 or instantly) and (ibm or (international))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:52
S37	23	((match\$3 or convert\$4) with xml with model) and ((synchroni\$9 or dynamic\$7) with (updat\$4 or reflect\$4 or chang\$4 or display\$4)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:33
S36	23	((match\$3 or convert\$4) near3 model) and ((synchroni\$49 or dynamic\$7) with (updat\$4 or reflect\$4 or chang\$4 or display\$4)) and (xml near3 (model or object)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:42
S35	26	((method or system or apparatus) with (convert\$5 or translat\$5 or synchroni\$8) with xml with database) and @ay<"2002" and ((correspond\$6 or match\$5) with (model or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:31
S34	24	((method or system or apparatus) with (convert\$5 or translat\$5) with xml with database) and @ay<"2002" and ((correspond\$6 or match\$5) with (model or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:43
S33	17	(xml near4 (dom or object or model)) and ((match\$4) near4 model) and @ay<"2002" and ((dynamically or instantly) near3 (reflect\$4 or updat\$4 or display\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:29
S32	73	(xml near4 (dom or object or model)) and ((match\$4) near4 model) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:11
S31	35	(xml near3 editor) and ((match\$4 or synchroni\$7) with model) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:10
S30	23	(xml near3 editor) and ((xml with (model or dom or object)) with (convert\$4 or translat\$4)) and ((dynamic\$8 or synchron\$7 or instant\$8) with (model or object)) and @ay<"2002" and ((modif\$5 or updat\$4 or chang\$4) with (model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:06
S29	34	(xml near3 editor) and ((xml with (model or dom or object)) with (convert\$4 or translat\$4)) and ((dynamic\$8 or synchron\$7 or instant\$8) with (model or object)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:00

S28	2	((match\$4 or convert\$4) with xml with model) and ((instant\$5 or dynamic\$7) near3 (reflect\$4 or updat\$4 or synchroni\$8)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:32
S27	31	@ay<"2002" and ((convert\$6 or translat\$5) with (model)) and ((synchron\$8 or instant\$6 or dynamic\$6) with (updat\$6 or reflect\$5 or display\$5)) and (xml with (dom or oject or model)) and ((object or model) with (view or display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:55
S26	53	@ay<"2002" and ((convert\$6 or translat\$5) with (model)) and ((synchron\$8 or instant\$6 or dynamic\$6) with (updat\$6 or reflect\$5 or display\$5)) and (xml with (dom or oject or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:43
S19	50	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) with (edited or changed or converted) with (model or format)) and @ay<"2002" and 7?/?\$.ccls. and @ay>"2000" and (((compar\$5 or specif\$5 or extract\$4) with (differen\$5 or chang\$4 or modifi\$7)) same (updat\$4 or display\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:49
S18	18	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) with (edited or changed or converted) with (model or format)) and @ay<"2002" and 7?/?\$.ccls. and @ay>"2000" and (((compar\$5 or specif\$5 or extract\$4) with (differen\$5 or chang\$4 or modifi\$7)) same updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:49
S17	100	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) with (edited or changed or converted) with (model or format)) and @ay<"2002" and 7?/?\$.ccls. and @ay>"2000" and ((compar\$5 or specif\$5 or extract\$4) with (differen\$5 or chang\$4 or modifi\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:48
S16	149	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) with (edited or changed or converted) with (model or format)) and @ay<"2002" and 7?/?\$.ccls. and @ay>"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:46
S15	605	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) with (edited or changed or converted) with (model or format)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:41
S14	1694	((convert\$4 or translat\$4) with (model or format)) and ((modifi\$4 or chang\$4) with (model or format)) and ((show\$4 or display\$4 or view\$4) same (edited or changed or converted) same (model or format)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:41
S13	7651	((convert\$4 or translat\$4) with (source or structure or model or format)) and ((modifi\$4 or chang\$4) with (source or structure or format)) and ((show\$4 or display\$4 or view\$4) same (edited or changed or converted or new or target)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:39
S12	32	((xml with database) same relation\$4 same (convert\$4 or translat\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls. and ((interface or view or display) same (modifi\$4 or chang\$4 or updat\$4)) and ((element or component) same (modifi\$4 or chang\$4 or updat\$4)) and ((compar\$6 or extrac\$5 or specif\$5) with (differen\$6 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 08:31

S11	42	((xml with database) same relation\$4 same (convert\$4 or transl\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls. and ((interface or view or display) same (modif\$4 or chang\$4 or updat\$4)) and ((element or component) same (modif\$4 or chang\$4 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:29
S10	67	((xml with database) same relation\$4 same (convert\$4 or transl\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls. and ((interface or view or display) same (modif\$4 or chang\$4 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:29
S9	102	((xml with database) same relation\$4 same (convert\$4 or transl\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls. and (interface or view or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:28
S8	103	((xml with database) same relation\$4 same (convert\$4 or transl\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:27
S7	449	((xml with database) same (convert\$4 or transl\$4 or display\$4)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:26
S6	59	((modif\$6 and (conver\$5 or transl\$4)) with (source or model)) and ((display\$4 or view\$4) with (new or target or destina\$8)) and @ay<"2002" and 7?/?\$.ccls. and (updat\$4 same (display\$4 or reflex\$4 or show\$4)) and ((view or interface or display) with new) and (((compar\$5 or extract\$4) with (differen\$5 or updat\$4)) same (show\$4 or display\$4 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:25
S5	87	((modif\$6 and (conver\$5 or transl\$4)) with (source or model)) and ((display\$4 or view\$4) with (new or target or destina\$8)) and @ay<"2002" and 7?/?\$.ccls. and (updat\$4 same (display\$4 or reflex\$4 or show\$4)) and ((view or interface or display) with new) and ((compar\$5 or extract\$4) with (differen\$5 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:19
S4	315	((modif\$6 and (conver\$5 or transl\$4)) with (source or model)) and ((display\$4 or view\$4) with (new or target or destina\$8)) and @ay<"2002" and 7?/?\$.ccls. and (updat\$4 same (display\$4 or reflex\$4 or show\$4)) and ((view or interface or display) with new)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:18
S3	405	((modif\$6 and (conver\$5 or transl\$4)) with (source or model)) and ((display\$4 or view\$4) with (new or target or destina\$8)) and @ay<"2002" and 7?/?\$.ccls. and (updat\$4 same (display\$4 or reflex\$4 or show\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:17
S2	749	((modif\$6 and (conver\$5 or transl\$4)) with (source or model)) and ((display\$4 or view\$4) with (new or target or destina\$8)) and @ay<"2002" and 7?/?\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 07:16